
Terms	Illustrations	Definition
Acute angle	(x)	An angle greater than 0° and less than 90°.
Alternate angles	$ \begin{array}{c}  & a & b \\ \hline  & c & d \\ \hline  & g & h \end{array} $	Where two straight lines are cut by a third, as in the diagrams, the angles d and f (also c and e) are alternate. Where the two straight lines are parallel, alternate angles are equal.
Angle	arm angle vertex	An angle measures the amount of 'turning' between two straight lines that meet at a vertex (point). Angles are classified by their size e.g. can be obtuse, acute, right angle etc. They are measured in degrees (°) using a protractor.

Axis	3 2 1 0 1 2 3 X	A fixed, reference line from which locations, distances or angles are taken. Usually grids have an x axis and y axis.
Bearings	N 25= 2059	A bearing is used to represent the direction of one point relative to another point. It is the number of degrees in the angle measured in a clockwise direction from the north line.  In this example, the bearing of NBA is 205°. Bearings are commonly used in ship navigation.
Circumference	Circumference	The distance around a circle (or other curved shape).

Compass (in directions)			An instrument containing a magnetised pointer which shows the direction of magnetic north and bearings from it. Used to help with finding location and directions.
Compass points	N A S		Used to help with finding location and directions.  North, South, East, West, (N, S, E, W), North East (NE), South West (SW), North West (NW), South East (SE) as well as:  NNE (north-north-east), ENE (east-north-east), SEE (east-south-east), SSE (south-south-east), SSW (south-south-west), WSW (west-south-west), NNW (north-north-west)
Complementary angles	30-	50° 40°)	Two angles which add together to 90°. Each is the 'complement' of the other.



Cosine function in trigonometry	Opposite  Adjacent  Cos x = adjacent/hypotenuse	cos(θ) = Adjacent / Hypotenuse
Degree		The most common unit of measurement for angles. One whole turn is equal to 360 degrees, written 360°
Directional language	190 130 130 130 130 130 130 130 130 130 13	<ul> <li>Use a variety of words to help with directions such as;</li> <li>left, right, up, down, forwards, backwards, sideways, across, close, far, along, to, from, over, under</li> <li>direction, near, through, towards, away from, underneath, quarter turn, half turn, three quarter turn, whole turn, journey, route, clockwise, anti-clockwise, North, South, East, West, (N, S, E, W)</li> <li>map, plan, compass point, north, south, east, west, (N, S, E, W)</li> <li>horizontal, vertical, diagonal, clockwise, anti-clockwise, North, South, East, West, (N, S, E, W), North East (NE), South West (SW), North West (NW), South East (SE).</li> <li>NNE (north-north-east), ENE (east-north-east), ESE (east-south-east), SSE (south-south-east), SSW (south-south-west), WSW (west-south-west), WNW (west-north-west), NNW (north-north-west)</li> </ul>


Exterior angle	Exterior angle	In a polygon, exterior angles are formed outside between one side and the adjacent side This is the angle that has to be turned at the vertex if you are travelling around a shape.
Grid References		Helps identify position relative to a scale in the horizontal and vertical directions on a page or screen. The scale can use letters or numbers or a combination of both. In this example here, the grid references are in brackets.
		The first number in the grid reference refers to the position on the x axis and the second number refers to the position on the y axis.
Half turn		Rotation through 180 °
Hypotenuse	Hypotenuse	The longest side of a right-angled triangle. It is the side opposite the right angle.

Interior angle	Interior angle	At a vertex of a shape, the angles that lie within it.
Obtuse angle	X° X°	An angle which is more than 90° but less than 180°.
Opposite angles	d c b	Angles formed where two line segments intersect.  In the diagram 'a' is opposite 'c' and 'b' is opposite 'd'. Also called vertically opposite angles.

Order (in symmetry)	No rotational symmetry  Order 3 symmetry	The number of times a shape can be rotated and fit exactly on top of its original position within a complete turn.
	Order 6 symmetry  Order 16 symmetry	
Parallel lines	$\stackrel{\longrightarrow}{\longrightarrow}$	Lines are parallel if they are always the same distance apart (called "equidistant"), and will never meet. Here 'm' and 'n' are parallel

	<b>3</b> 1, 1, 1	
Perpendicular lines		Lines that are at right angles (90°) to each other.
Pi	α = circumference + diameter	The ratio of a circle's circumference to its diameter. Equal to 3.14159265358979323846 (the digits go on infinitely without repeating). Pi is often rounded to 2 decimal places to 3.14
Positional language		Use a variety of words to help describe position such as;

		<ul> <li>over, under, above, below top, bottom, side on, in, outside, inside</li> <li>around, in front, behind, front, back, before, after, beside, next to, middle</li> <li>opposite, apart, between, edge, corner etc.</li> </ul>
Protractor	90 100 170 180 180 180 180 180 180 180 180 180 18	An instrument for measuring or drawing angles, usually in the form of a semi-circle marked with degrees along the curved edge.



In a right angled triangle, the square of the long side (**hypotenuse**) is equal to the sum of the squares of the other two sides. It is stated in this formula:

$$a^2 + b^2 = c^2$$

Pythagoras' Theorem was founded by Pythagoras of Samos, a Greek philosopher and mathematician.

Quadrant (in a graph)	Quadrant 2 Quadrant 1  Quadrant 3 Quadrant 4	Any of the 4 areas made when we divide up a graph by an x and y axis.
Quarter Turn		A rotation through 90°. This can be in any direction; clockwise or anti-clockwise.
Ratio		A ratio shows the relative sizes of two or more values. Ratios can be shown in different ways. Using the ":", or as a single number by dividing one value by the total.
		E.g. if there is 1 boy and 3 girls you could write the ratio as:
		1:3 (for every one boy there are 3 girls)
		1/4 are boys and 3/4 are girls
		0.25 are boys (by dividing 1 by 4)
		25% are boys (0.25 as a percentage)

Reflective Symmetry or Line Symmetry	No free of symmetry  cree line of symmetry  three lines of symmetry  infinite fines of symmetry	When an image or object has a 'mirror image', each side is equal.  Symmetry goes beyond simple shapes to explore real images and different forms of symmetry e.g. rotational symmetry.
Right angle	90°	An angle of 90°
Rotational Symmetry		A shape has rotational symmetry when it still looks the same after a rotation.  How many times it appears is called the Order.  This star shape has 'Order 5 symmetry'.


# Scale The ratio of the length in a drawing (or model) to the length of the real thing. Ratios are used to enlarge or reduce an image, drawing, model etc. E.g. this model car is built in the ratio 1:43 meaning the real car is 43 times bigger. Scale drawings A drawing that shows a real object with accurate sizes reduced or enlarged by a certain amount. Savoon 1310"×73" E.g. this floorplan for a house giving accurate measurements as well as the correct proportions for the actual house. Living Room 150" x 110" Diving Area (DICT a 1007 Similarity (in Being able to calculate and use a scale factor that connects two similar figures. This helps when making scale models e.g. modelling) models of windmills.

Sine function	Opposite  Adjacent  Sin x° = opposite/hypotenuse	sin(θ) = Opposite / Hypotenuse
Straight angle	180=	An angle of 180 degrees. A straight angle is a straight line.
Supplementary angles	65° 115°	Angles which add up to 180 degrees.
Tangent	Tangent	A tangent is a straight line that touches the diameter of a circle at one point only.

Tangent function in trigonometry	Opposite  Adjacent  Tan x* = opposite/adjacent	tan(θ) = Opposite / Adjacent
Tessellation or Tiling		A pattern made of identical shapes where the shapes fit together without any gaps and the shapes do not overlap.
Three quarter turn	270°	A rotation through 270° This is the same as three right angles (3 x 90°).
Transformation		Changing a shape using rotation (turns), reflection (flips), translation (slides) or resizing it.
<u>Translation</u>		Otherwise known as 'sliding' a shape by moving it without

		rotating or flipping it. The shape still looks exactly the same, just in a different place.
Trigonometry	Opposite Adjacent	Trigonometry is the study of triangles. It can help find out unknown values of a triangle's sides or angles if other values are known. Many formulae are used to help with this. The functions of trigonometry are known as sine, cosine, and tangent.
Vertex (singular) or vertices (plural)		A 'corner' or corners on a 3D object. A point(s) where two or more straight lines meet.
Whole turn		A rotation through 360 degrees – a full turn.

Terms	Illustrations	Definitions
Analysis of data		To make statements about a set of data based on interpretation of the results.
Average		The average is known as the number typical of a set of numbers. It is also used as another term for the mean.
Axis	3 2 1 0 1 2 3 X	A fixed, reference line from which locations, distances or angles are taken. Usually grids have an x axis and y axis
Bar chart / Bar graph	Number of cars passing the school  Gold Black Blue Green White Silver Red 0 5 10 15 20 Number of cars	A bar graph (also bar chart) is a graphical display of data using bars of different heights. They can also be displayed horizontally.



Census		When data is collected for every member in a group.
Certainty		The probability that an event will definitely happen.
Chance	Examples of chance	The number of times an event is likely to happen compared to the number of times it could happen.  For example;
		There is a 1 in 6 chance of throwing a 3 on a dice labelled 1-6. It is likely to happen once as there is only 1 number 3 on the dice but it could happen 6 times.
	There are 11 balls in this box.  The chances of pulling out a red ball is 4/11  The chances of pulling out a blue ball is 4/11  The chances of pulling out a blue ball is 1/11  The chances of pulling out an orange ball is 2/11  It could be estimated from the calculated chances that,  There is an equal chance of pulling out a red or yellow ball  You are most likely to pick out a red or yellow ball  You are least likely to pick out a blue ball	
Consequences		The impact a decision can make on yourself and on others. For example; Reading food labels when shopping for the family – The majority of the food items state it is high in sugar, fat and calories. If this food is eaten each night, consequences for the family may be tooth decay long term, gradual weight gain etc.
Continuous data		Continuous data is measured and can be any value within a range e.g. the length of a leaf.
		The time taken to run a race is continuous as all measurements have meaning.

Data		A collection of facts, such as numbers, words, measurements, observations
Discrete data		Discrete data is counted and can only take certain values - like whole numbers e.g. the number of cars passing by a school.
		Shoe size is an example of discrete data as size 6 and 7 have a meaning however size 6.2 does not.
Distribution		How spread out the set of data is.
Dot plots	Number of cars passing the school  Red Silver White Green Blue Black Gold	A graphical display of data using dots.
Draw conclusions		To make statements about a set of data based on results.
Event		A single result of an experiment.


	Number of cars passing the school		haal	
Frequency table	Colour	Tally Marks	Frequency	A table used to note tally marks and show frequencies of
	Red	1H4 I	6	each item.
	Silver	144.144.11	12	
	White	.1111 1411/1411 11	17	
	G reen	IIII	4	
	Blue	7HL IIII	9	
	Black	1444	5	
	Gold	I	1	
Grouped data	For exam	ple: Data sorted into	classes e.g. 1	20. Data is grouped together in equal intervals.
				For example: Data sorted into classes e.g. 11-15, 16-20.
Histogram	Pupil's ages in a small all through school  35 30 25 25 20 319 30 4 Frequency 5 to 9 10 to 14 15 to 19 Age Nange			A graphical display of data using bars of different heights, it is similar to a bar chart but a histogram groups numbers into ranges.
Labelling				The labels on a graphical representation which give further information about the data.  E.g. if gathering data on minibeasts in the school garden, the y axis would be labelled 'number of minibeasts' and the x axis would be labelled 'types of minibeasts'.

Least common / least popular		The number or item which appears least often in a set of data.
Likelihood		The chance that an event will happen.
Line Graph	Bird Watching  16 14 12 10 8 6 4 2 0 Number of birds  Wednesday Truesday Truesday Sunday Sunday	A graph that shows information that is connected in some way – such as change over a period of time
Make predictions		Use data available to suggest what the future may be.
Mean		The mean is the average of the set of data – it is the sum of the numbers divided by how many numbers there are. For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the mean would be $(5+5+6+7+8+12+13+15+16) / 9 = 87/9 = 9.67$ to 2 d.p.
Median		The median is the middle value in a sorted list of numbers. For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the median would be 8.
Misleading information		Information which has been adapted by either presentation or selection to give the wrong impression of the true data.


Mode		The mode is the number which appears most often in a set of data.  For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the mode would be 5.
Most common / most popular		The number or item which appears most often in a set of data.
Pictogram	Number of flowers in bloom	A Pictogram or Pictograph is a way of showing data using images.
Pie chart	Number of birds  ** Monday  ** Tuesday  ** Wednesday  ** Thursday  ** Friday  ** Saturday  ** Sunday	A chart which uses 'pie slices' to show relative sizes of data. The sections of the chart can be recorded in percentages, e.g. half of the pie represented 50% of the data collected.
Predictions		An educated guess at future events based on past experiences. E.g. predicting the weather in December.

Probability	How likely something is to happen – calculated as the number of times an event actually happened divided by the number of possible events. It can be expressed as a fraction, decimal fraction or percentage.
Qualitative	Descriptive information.
Quantitative	Numerical information.
Questionnaire	A set of questions used to gather information during a survey.
Range	The range is the highest number in the set take away the lowest.
	For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the range would be (highest – lowest) 16 - 5 = 11.
Raw data	Raw data is the data collected for example in a survey.
Robust information	Robust information has been gathered and presented in an appropriate way.
Sample	A selection taken from a larger group (the "population") so that you can examine it to find out something about the larger group.
Sample size	The number of pieces of information gathered from the sample in order to represent the whole "population."
	E.g. 100 men were surveyed to find out how many hours they spent exercising each week. (100 is the sample size).
Scale	The intervals that are used on a graphical representation of data e.g. a scale which rises in ones or in tens, etc.

Stem and leaf plots	Data Set: 11, 12, 13, 13, 14, 18, 23, 24, 27, 27, 31, 34, 36, 42  Stem and Leaf Plot:  Stem   Leaf	A table where each data value is split into a "leaf" (usually the last digit) and a "stem" (the other digits).  For example "32" is split into "3" (stem) and "2" (leaf).  The "stem" values are listed down, and the "leaf" values are listed next to them.
Survey		Gathering information about a certain topic or issue for a particular reason. The information can help people make decisions about topics of interest e.g. most popular holiday destinations for young families.
Tally Marks		A visual representation of the number of times an item appears in a set, these are bundled in groups of five.  For example:    represents 2 and      represents 5
Trends		The overall picture of a set of data over time – e.g. the temperature is rising over time.  For example: House prices, over time, in the UK have shown an upward trend.
Uncertainty		The probability that an event may not happen.
Vague information		Vague information is information which is presented without using all available information.



Terms	Illustrations	Definitions
Analysis of data		To make statements about a set of data based on interpretation of the results.
Average		The average is known as the number typical of a set of numbers. It is also used as another term for the mean.
Axis	3 2 1 1 2 3 X	A fixed, reference line from which locations, distances or angles are taken. Usually grids have an x axis and y axis
Bar chart / Bar graph	Number of cars passing the school  Gold Black Blue Green White Silver Red 0 5 10 15 20 Number of cars	A bar graph (also bar chart) is a graphical display of data using bars of different heights. They can also be displayed horizontally.



Census		When data is collected for every member in a group.
Certainty		The probability that an event will definitely happen.
Chance	Examples of chance	The number of times an event is likely to happen compared to the number of times it could happen.  For example;
		There is a 1 in 6 chance of throwing a 3 on a dice labelled 1-6. It is likely to happen once as there is only 1 number 3 on the dice but it could happen 6 times.
	There are 11 balls in this box.  The chances of pulling out a red ball is 4/11  The chances of pulling out a blue ball is 4/11  The chances of pulling out a blue ball is 1/11  The chances of pulling out an orange ball is 2/11  It could be estimated from the calculated chances that,  There is an equal chance of pulling out a red or yellow ball  You are most likely to pick out a red or yellow ball  You are least likely to pick out a blue ball	
Consequences		The impact a decision can make on yourself and on others. For example; Reading food labels when shopping for the family – The majority of the food items state it is high in sugar, fat and calories. If this food is eaten each night, consequences for the family may be tooth decay long term, gradual weight gain etc.
Continuous data		Continuous data is measured and can be any value within a range e.g. the length of a leaf.
		The time taken to run a race is continuous as all measurements have meaning.

Data		A collection of facts, such as numbers, words, measurements, observations
Discrete data		Discrete data is counted and can only take certain values - like whole numbers e.g. the number of cars passing by a school.
		Shoe size is an example of discrete data as size 6 and 7 have a meaning however size 6.2 does not.
Distribution		How spread out the set of data is.
Dot plots	Number of cars passing the school  Red Silver White Green Blue Black Gold	A graphical display of data using dots.
Draw conclusions		To make statements about a set of data based on results.
Event		A single result of an experiment.

		Normh an af a ann an anim a th a ani		
Frequency table	Colour	Number of cars passing the sci Tally Marks	Frequency	A table used to note tally marks and show frequencies of
	Red	) THT I	6	each item.
	Silver	1444 11	12	
	White	.1111 11111111 11	17	
	G reen	IIII	4	
	Blue	1111 THE	9	
	Black	JHT	5	
	Gold	I	1	
Grouped data	For example	e: Data sorted into	classes e.g. 11	Data is grouped together in equal intervals.  For example: Data sorted into classes e.g. 11-15, 16-20.
				Tot example. Data sorted into diasses e.g. 11-10, 10-20.
Histogram	Pupil's ages in a small all through school  35 - 30 - 25 - 20 - 25 - 20 - 20 - 20 - 20 - 2		ncy	A graphical display of data using bars of different heights, it is similar to a bar chart but a histogram groups numbers into ranges.
Labelling				The labels on a graphical representation which give further information about the data.
				E.g. if gathering data on minibeasts in the school garden, the y axis would be labelled 'number of minibeasts' and the x axis would be labelled 'types of minibeasts'.


Least common / least popular		The number or item which appears least often in a set of data.
Likelihood		The chance that an event will happen.
Line Graph	Bird Watching  16 14 12 10 8 6 4 2 0 Number of birds  Wednesday Truesday Truesday Truesday Sunday Sunday	A graph that shows information that is connected in some way – such as change over a period of time
Make predictions		Use data available to suggest what the future may be.
Mean		The mean is the average of the set of data – it is the sum of the numbers divided by how many numbers there are. For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the mean would be $(5+5+6+7+8+12+13+15+16)/9 = 87/9 = 9.67$ to 2 d.p.
Median		The median is the middle value in a sorted list of numbers. For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the median would be 8.
Misleading information		Information which has been adapted by either presentation or selection to give the wrong impression of the true data.

Mode		The mode is the number which appears most often in a set of data.  For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the mode would be 5.
Most common / most popular		The number or item which appears most often in a set of data.
Pictogram	Number of flowers in bloom	A Pictogram or Pictograph is a way of showing data using images.
Pie chart	Number of birds  ## Monday  ## Tuesday  ## Wednesday  ## Thursday  ## Friday  ## Saturday  ## Sunday	A chart which uses 'pie slices' to show relative sizes of data. The sections of the chart can be recorded in percentages, e.g. half of the pie represented 50% of the data collected.
Predictions		An educated guess at future events based on past experiences. E.g. predicting the weather in December.

Probability	How likely something is to happen – calculated as the number of times an event actually happened divided by the number of possible events. It can be expressed as a fraction, decimal fraction or percentage.
Qualitative	Descriptive information.
Quantitative	Numerical information.
Questionnaire	A set of questions used to gather information during a survey.
Range	The range is the highest number in the set take away the lowest.
	For example: In the set of numbers 5, 5, 6, 7, 8, 12, 13, 15, 16 the range would be (highest – lowest) 16 - 5 = 11.
Raw data	Raw data is the data collected for example in a survey.
Robust information	Robust information has been gathered and presented in an appropriate way.
Sample	A selection taken from a larger group (the "population") so that you can examine it to find out something about the larger group.
Sample size	The number of pieces of information gathered from the sample in order to represent the whole "population."
	E.g. 100 men were surveyed to find out how many hours they spent exercising each week. (100 is the sample size).
Scale	The intervals that are used on a graphical representation of data e.g. a scale which rises in ones or in tens, etc.

Stem and leaf plots	Data Set: 11, 12, 13, 13, 14, 18, 23, 24, 27, 27, 31, 34, 36, 42  Stem and Leaf Plot:  Stem Leaf  1 1 2 3 3 4 8 2 3 4 7 7 3 1 4 6 4 2	A table where each data value is split into a "leaf" (usually the last digit) and a "stem" (the other digits).  For example "32" is split into "3" (stem) and "2" (leaf).  The "stem" values are listed down, and the "leaf" values are listed next to them.
Survey		Gathering information about a certain topic or issue for a particular reason. The information can help people make decisions about topics of interest e.g. most popular holiday destinations for young families.
Tally Marks		A visual representation of the number of times an item appears in a set, these are bundled in groups of five.  For example:    represents 2 and      represents 5
Trends		The overall picture of a set of data over time – e.g. the temperature is rising over time.  For example: House prices, over time, in the UK have shown an upward trend.
Uncertainty		The probability that an event may not happen.
Vague information		Vague information is information which is presented without using all available information.

#### **Data and analysis**



### **Estimation and rounding**

Terms	Illustrations	Definitions
Actual		The correct answer.
Approximate/ Approximating		To give a 'rough answer' that may be slightly more or less than the actual answer.
Degree of accuracy		The level of accuracy to round a number to e.g.  to the nearest 10, 100, 1000.  to 1 decimal place  to 3 significant figures
Estimation		Comparing different sizes and amounts (quantities) using appropriate vocabulary to describe them in relation to each other e.g. longer/shorter, lightest/heaviest  A 'reasonable' guess. Predicting solutions and checking the accuracy of calculations e.g. estimating 317 + 498 as approximately 300 + 500 = 800 and comparing estimate to actual solution.
Rounding		<ul> <li>Rounding can make numbers easier to work with e.g.</li> <li>round a number to the nearest 10 (or multiple of 10)</li> <li>when adding 42 and 98, round down 42 to 40 and round up 98 to 100 to get an approximate answer.</li> <li>In context of decimal places, e.g. 5.634 = 5.6 (round up to 1 decimal place) or 5.63 (to 2 decimal places).</li> <li>In context of significant figures, e.g. 0.00421 = 0.0042 (to 2 significant figures).</li> </ul>

# **Estimation and rounding**


Rounding rules	<ul> <li>General rules of rounding are:</li> <li>If the number you are rounding is followed by 5, 6, 7, 8, or 9, round the number up. Example: 38 rounded to the nearest ten is 40, or 8.6 is rounded to the nearest whole number is 9 or 3.063 is rounded to 3.1 (to 1 decimal place).</li> <li>If the number you are rounding is followed by 0, 1, 2, 3, or 4, round the number down. Example: 33 rounded to the nearest ten is 30, 5.4 is rounded to the nearest whole number is 5 or 6.324 is rounded to 6.3 (to 1 decimal place)</li> </ul>
Significant figures	With the number 368249, the 3 is the most significant digit, because it tells us that the number is 3 hundred thousand and something. It follows that the 6 is the next most significant, and so on.
	With the number 0.0000058763, the 5 is the most significant digit, because it tells us that the number is 5 millionths and something. The 8 is the next most significant, and so on.

#### **Estimation and rounding**

#### **Tolerance**

If the task was to mark 3.4cm on this ruler and the tolerance accepted in the measurement was plus or minus 0.1cm (1mm) – both red arrows would be correct as they measure 3.3cm and 3.5cm. They are within 0.1cm (1mm) of the actual required measurement.

The **blue arrow** would not be accepted as it measures <u>3.2cm</u>, which is more than <u>0.1cm</u> (1mm) out with the actual required measurement. It is <u>0.2cm</u> (or 2mm) out.



Tolerance is an allowance for error.

It is the maximum range of variation in the accuracy of calculations allowed within particular situations and contexts e.g. in construction, acceptable levels of tolerance will be very small.

#### For example;

You may be given a measurement of 3.4 cm with a tolerance of plus or minus 0.1 cm (1 mm).

The measurement you make will be acceptable if it is anything from 0.1 cm less than 3.4 cm to 0.1 cm more than 3.4 cm.

Any measurement from 3.3 cm to 3.5 cm would be acceptable in this case.


Terms	Illustrations	Definitions
Abstract thinking		Thinking logically without the use of concrete material or visual representations.
Algebra		The use of letters and numbers to express information.
Algebraic terms	/ ¥	
Distributive Law	3 x 2 +3 x 4 = 3 x (2+4)	Multiplying a number by a group of numbers added together is the same as doing each multiplication separately
Early / Initial algebraic thinking		Understanding the order of numbers, their place on the number line and how they can be combined.  Also understanding that the equal sign '=' shows balance e.g. 2 + 2 = 4.
Equality / Balance		The equal sign indicates that one quantity is the same as another. Visualising the equals sign (=) as a balance point is very useful
Equation	x + 2 = 6 $4x - 2 = 10$ $4x = 12$ $x = 3$	Equations use letters, numbers, signs and symbols and allow given situations or conditions to be expressed in the most concise way possible. An equation has an equals sign to show balance.
Evaluating algebraic expressions	2x + 3x + x = 6x	Organising an expression in to its simplest form.


Expression	Let's use the letter c to represent 1 car.  We therefore have 4c.  We can simplify terms:  t+t+t+t can be written as 5t	Numbers, symbols and operators grouped together that show the value of something.
Factorise		Finding all of the numbers which multiply together to give the number you start with
Factors of algebraic equations		If numbers share one or more factors, then they are called the common factors of those numbers. Common factors can be applied in algebraic equations to organise in to simpler equations. It is best to find the highest common factor.
Formula		A mathematical relationship or rule expressed in symbols e.g. the formula for volume of a box is $V = I \times b \times h$
Greater than	4 > 1	The symbol '>' means greater than e.g. 7 > 4. The symbol always points to the lowest number/value.


Inequality / Imbalance	2 ≠ 4  • ≠ •	A symbol for "is not equal to" (≠) is required when quantities on either side do not have the same value.
Inequation / Inequality	$3x \neq 3x + 6$ $9+7 \neq 20-1$	An inequality does not have an 'equality' sign but instead uses either 'greater than' sign, 'greater than or equal to' sign, 'less than' sign or 'less than or equal to' sign.
Less than	1<4	The symbol '<' means less than e.g. 2 < 5. The symbol always points to the lowest number/value.
Operators	+ - = ÷	Symbols are part of the universal language of mathematics. The four operators +, -, x, ÷ are the first set of symbols that learners usually become familiar with.
Pictures and symbols in algebra		Symbols can also replace numbers or operators and can have completely different values e.g. $4 + * = 10$ $x = 4 + 20$ $3?50 - 1?50 = 4700$

Simplifying equations / collecting like terms	2x + 3x + x = 6x	Making similar equations easier to work with.  E.g. knowing a + a + a = 3a	
Solution Sets	x+4>10 $x>6$ Therefore the solution set is any number greater than 6.	A set of numbers that lists all possible solutions to a given mathematical problem.	
Substitution	x + 6 $where x = 2$ We substitute the value of $x$ into our expression. Therefore: $2 + 6 = 8$	Replacing a letter in an algebraic expression with a numerical value. Different letters can be given different numerical values, unless they are constants such as Pi $(\pi)$ . If a letter appears more than once in an expression, the same numerical value is assigned each time.	
Variables	4x - 7 = 5 Variable	A variable quantity, as its name suggests, can change in value. In algebra, letters can be assigned a number.	

Terms	Illustrations	Definition
Common denominator		When two or more fractions have the same denominator (the number on the bottom) they have a common denominator.
		You can only add or subtract fractions if they have the same common denominator e.g. 2/5 and 3/5
Decimal fraction		A fraction where the denominator (the bottom number) is a power of ten (such as 10, 100, 1000, etc). They are written with a decimal point. E.g.
		7/10 is a decimal fraction and it can be shown as 0.7. This is the equivalent to 7 tenths.
		43/100 is a decimal fraction and it can be shown as 0.43. This is the equivalent to 4 tenths and 3 hundredths.
		51/1000 is a decimal fraction and it can be shown as 0.051
		This is the equivalent to 5 hundredths and 1 thousandth.









Improper fraction	8 16 25 5 6 13	A fraction where the numerator (the top number) is greater than the denominator (the bottom number).
Mixed number	2 3/4 5 1/2	A number which has a whole number and a fraction combined.
Numerator		The top number in a fraction, e.g. in '¼', 1 is the numerator.
Ordering fractions		Ordering fractions by size/value. To do this, it can be helpful to find a common denominator in the fractions and convert them to have the same denominator. You can then compare the fractions and order them by size/value.
Percentage		Percent means parts per 100. The symbol used is %  Example: 25% means 25 per 100  (25% of this box is green).

Proper fraction		A fraction where the numerator (the top number) is less than the denominator (the bottom number) e.g. ½ is a proper fraction.
Proportion	These pictures and fractions are in proportion, as the numerator (top number) increases by the same proportion (multiplying by 2) and the denominator (bottom number) increases by the same proportion (multiplying by 2).  15cm  Sem  These rectangles are in proportion, as the height increases by the same proportion (multiplying by 3) and the length increases by the same proportion (multiplying by 3) and the length increases by the same proportion (multiplying by 3).	'In proportion' means that two ratios or fractions are equal. <i>E.g.</i> 1/3 = 2/6 are in proportion – they are 'proportionate' – equal to the same amount.  Proportion also means two values are proportionate when a change in one is always accompanied by a change in the other. As one quantity increases or decreases another quantity increases or decreases by the same proportion.  Real life situations where proportion is important could be; mixing cement, preparing hair dye, cooking/baking.
Ratio		A ratio shows the relative sizes of two or more values. Ratios can be shown in different ways. Using the ":", or as a single number by dividing one value by the total.
		E.g. if there is 1 boy and 3 girls you could write the ratio as:

		1:3 (for every one boy there are 3 girls)  1/4 are boys and 3/4 are girls  0.25 are boys (by dividing 1 by 4), 0.75 are girls  25% are boys (0.25 as a percentage), 75% are girls
Remainder		The amount "left over" after completing a calculation, e.g. 23 divided by 5 equally would be 4 remainder 3.
Simplify a fraction / Reduce a fraction	Simplify the fraction 9/12  Find the highest number (12). This is the highest common factor.  In this case, the highest common factor is 3.  Divide both the numerator (top number) and the denominator (bottom number) by 3.  9 = 3  12  ÷ 3  4	Simplifying (or reducing) fractions means to make the fraction as simple as possible, ie. down to the lowest possible denominator.  To simplify a fraction, divide the top and bottom by the highest number that can divide into both numbers exactly (highest common factor).






### Ideas of chance and uncertainty

Terms	Illustrations	Definitions
Certainty		The <b>probability</b> that an event will definitely happen.
Chance	There are 11 balls in this box. The chances of pulling out a red ball is 4/11 The chances of pulling out a blue ball is 4/11 The chances of pulling out a blue ball is 1/11 The chances of pulling out an orange ball is 2/11  It could be estimated from the calculated chances that:  There is an equal chance of pulling out a red or yellow ball You are most likely to pick out a red or yellow ball You are least likely to pick out a blue ball	The number of times an event is likely to happen compared to the number of times it could happen.  For example;  There is a 1 in 6 chance of throwing a 3 on a dice labelled 1-6. It is likely to happen once as there is only 1 number 3 on the dice but it could happen 6 times.
Consequences		The impact a decision can make on yourself and on others. For example; Reading food labels when shopping for the family – The majority of the food items state it is high in sugar, fat and calories. If this food is eaten each night, consequences for the family may be tooth decay long term, gradual weight gain etc.
Draw conclusions		To make statements about a set of <b>data</b> based on results.

### Ideas of chance and uncertainty


Event				A single result of an experiment.
Frequency table	Colour  Red Silver  White Green Blue Black Gold	Number of cars passing the sci Tally Marks  JHT    JHT JHT     JHT JHT     JHT JHT     JHT JHT	12 17 4 9 5 1	A table used to note <b>tally marks</b> and show frequencies of each item.
Language of probability				The words used to describe the <b>likelihood</b> or <b>chance</b> of an event happening. Words can include; never, sometimes, always, likely, unlikely, possible, impossible, certain, uncertain, one in ten chance, 50/50 chance etc.
Likelihood				The <b>chance</b> that an event will happen.
Predictions				An educated guess at future events based on past experiences. E.g. predicting the weather in December.
Probability				How likely something is to happen – calculated as the number of times an event actually happened divided by the number of possible events. It can be expressed as a fraction, decimal fraction or percentage.
Uncertainty				The <b>probability</b> that an event may not happen.

Terms	Illustrations	Definition
Babylonian number system	One Ten  Five  Twelve	It used only two numerals or symbols, a one and a ten to represent numbers.  The system got trickier with larger numbers and used a base 60 system, rather than our system of base 10.
Binary system		Only made up of only 0's and 1's. There is no 2,3,4,5,6,7,8 or 9.  In a binary number each "place" represents a <b>power</b> of 2. E.g. $1=2^0=1$ $10=2^1=2$ $100=2^2=4$ $1000=2^3=8$ $10000=2^4=16$ Binary numbers are very useful in electronics and computer systems. Regardless of the
		type of information represented, it is all stored as bit patterns made up from the digits 1 or 0. In other words everything that is stored on the computer is eventually broken down into its simplest form, which is a pattern of 1s and 0s.



	100 = 9 200 = 99 300 = 999 400 = 99 500 = 999	1 =   2 =    3 =     4 =	10 = \( \cap \)	
Famous mathematicians				People who have contributed significantly to society through the creative and intelligent use of mathematics. Famous mathematicians have played a huge part in shaping our world as it stands today.
Fibonacci Sequence				Found by adding the two numbers before it together.  e.g. 0, 1, 1, 2, 3, 5, 8, 13, 21, 34  The 2 is found by adding the two numbers before it (1+1)  The 5 is found by adding the two numbers before it (2+3)  The 8 is found by adding the two numbers

		before it ((3+5)
		The 13 is found by adding the two numbers before it (8+5)
		The 21 is found by adding the two numbers before it (8+13)
		The next number in the sequence above would be 55 (21+34)
		There are many areas of nature where the Fibonacci sequence can be found and some of these areas include, flower petals, plants, fruit, the human face, the human hand and animals (i.e. rabbits)
		Leonardo Bonacci, known as Fibonacci, founded the sequence so it was named after him.
Greek number system	1 α 10 ι 100 ρ 200 σ 3 γ 30 λ 300 τ 400 ν 5 ε 50 ν 500 φ 1 ς 60 ξ 600 χ 7 ς 70 ο 700 ψ ε η 80 στ 900 λ	Originally had 27 symbols. Our own word "alphabet" comes from the first two letters, or numbers of the Greek alphabet "alpha" and "beta." Greek letters were also used for writing Greek numerals. The first nine letters (from alpha to theta) were used for the numbers 1 to 9. The next nine letters (from iota to koppa) were used for multiples of 10 from 10 to 90. Finally, the next nine letters (from rho to sampi) were used for 100 to 900. For example, the numbers 1, 2, and 3 are alpha, beta, and gamma.



Roman numerals	Base 10 Number	Roman Numeral	Base 10 Number	Roman Numeral
	1	I	10	Х
	2	II	20	XX
	3	III	30 40	XXX
	5	V	50	L
	6	VI	60	LX
	7	VII	70	LXX
	8	VIII	80	LXXX
	9	IX	90	XC
	10	Х	100	С
TEM				
O I CIVI				

Terms	Illustrations	Definitions
Area		The amount of surface space an object covers, measured using non-standard and standard units.
		Area is usually measured in square units e.g. square centimetres (cm2), square metres (m2) etc.
Area of a circle	The circumference is the distance around the outside edge of circle. The radius of a circle is the distance from the centre to the circumference.	Area = $\pi \times r^2$ $r$ = radius, $d$ = diameter
Area of a parallelogram	Area = base x height  base	Area = $b \times h$ b = base h = vertical height

Area of a rectangle		Can be found by counting the squares or half squares in the rectangle or by
	Area = length x breadth	using the following formula;
	Area = <u>8cm</u> x <u>4cm</u> = <u>32cm</u> <sup>2</sup>	Area = $l \times b$
	length = 8cm	l=length, $b$ = breadth
Area of a square		Can be found by counting the squares
Area or a square	Area = length x length	or half squares in the square or by using the following formula;
	Area = 4cm x 4cm = 16cm <sup>2</sup>   ength = 4cm	Area = $l^2$ $l$ = length of side

Area of a trapezium		Area = $\frac{1}{2}(a+b) \times h$ $h = \text{vertical}$ height
	a theight p	
Area of a triangle	Area = ½ x b x h	Area = $\frac{1}{2} \times b \times h$ b = base h = vertical height
	b	

Breadth		It is the same as width.
Capacity	The capacity of the container is 2 litres or 2000ml.  The volume of the container is 2000cm³.	The maximum amount of space an object/container can hold e.g. its maximum capacity is 2 litres. Capacity is measured in ml.  There are 1000ml in a litre.
Circumference	Carcumitate	The distance all the way around a <b>circle</b> . Circumference can be measured using the formula; $2\times\pi\times r\ or\ \pi\times d$

# Conservation of volume



Recognise that shapes and objects that look different can have equal volume e.g. by using different measuring jugs to show the same volume.

In this example shown, there is 150ml of juice in each container.

The conservation of volume is knowing that when any object is split into smaller parts then the total volume of the parts is equal to the original volume..

#### Degree of accuracy

The level of accuracy to round a number to e.g.

to the nearest 10, 100, 1000.

to 1 decimal place

to 3 significant figures.

This is particularly important in measurement in order to ensure accurate measurements. See tolerance in measurement.

Diameter	Diameter	A straight line which passes through the centre of a circle.
Height		How tall something is from its base to its top.  The vertical distance between the top to bottom of an object.
Length		How long something is from end to end.  The distance from one point to another.
Length conversions		10mm in 1cm 100cm in 1 metre 1000m in a kilometre Converting between lengths may look like; 4.7m = 4m 70cm or 470cm ½ m = 50cm

Mass	A large body of matter with no definite shape.  The amount of matter in an object.
Measuring tape / Tape measure	Similar to a metre stick but it is flexible. It is often used to measure around things e.g. body parts when measuring for clothes. It can go beyond 1 metre in length. Most measuring tapes have dual measures showing metric and imperial measurements e.g. one side is marked in cm and m and the other sides in inches.
Metre Stick	A straight measuring device that is 1 metre in length, usually marked in centimetres but some can be marked in millimetres too.

Metric system	The decimal measuring system based on the metre, litre, and gram as units of length, capacity, and weight or mass.
Non-standard units of measurement	Everyday objects which can be used to compare measurements e.g. hands, feet, leaves etc.
	Any item used to measure items e.g. the tub can hold 13 rubbers (early capacity) or the table is 7 hands long (early length).
	Children will experiment with these until learning about the need for a set unit of measurement which is more accurate (standard units of measurement).
Pedometer	A measuring device to calculate the distance travelled by the user by measuring the number of steps taken. Can be attached to clothing or some pedometers are now available for the wrist, ankle or smartphone apps.

Perimeter of a shape		The distance all the way around the outside of a 2D shape. To find the perimeter of a shape, add together the lengths of all the sides. The total is the perimeter.
Perpendicular height	Perpendicular height 90°	The height measured from the base to the <b>vertex</b> at the top, creating an angle of 90 degrees with the base.
Radius	Radius	The distance from the centre of a circle to any point on its circumference.


Ruler A straight measuring device, often 30 centimetres in length. It can also be used to draw straight lines. Scales A measuring device used to measure an object's weight or mass. This can be in the form of digital scales, kitchen scales (analogue) and two pan balance scales


Speedometer	30 -20 -10 14 150	Measuring device to measure the speed travelled by a vehicle. Usually found on the vehicle's dashboard. Speedometers can be analogue or digital.
Standard units of measurement		The universal system of measurement e.g. mm, cm, ml, litres g, kg etc
Surface area		The total area of the surface of a three-dimensional object.  E.g. the surface area of a cube is the area of all 6 faces added together.
Thermometer		A measuring device used to measure temperature. The thermometer reading will rise when the temperature rises and fall when the temperature falls. Temperatures are recorded using the standard units of Degrees Celsius (°C) or Fahrenheit (°F).

Tolerance in measurement	If the task was to mark 3.4cm on this ruler and the tolerance accepted in the measurement was plus or minus 0.1cm (1mm) – both red arrows would be correct as they measure 3.3cm and 3.5cm. They are within 0.1cm (1mm) of the actual required measurement.  The blue arrow would not be accepted as it measures 3.2cm, which is more than 0.1cm (1mm) out with the actual required measurement. It is 0.2cm (or 2mm) out.	The margins of error acceptable in different contexts and the impact this could have on end the result.  The 'degree of tolerance' will vary from context to context.
Trundle Wheel		A measuring device shaped as a wheel with a holding stick. Measures larger distances when a metre stick may be impractical e.g. measuring a football field or car park length. One full rotation of the trundle wheel is 1 metre and it clicks to alert the user when rotation has been completed so users need to keep count of the clicks.

Volume	The capacity of the container is 2 litres or 2000ml.  The volume of the container is 2000cm³.	The measure of space taken up by a 3D object. Usually measured in cubic units; for example, cubic centimetres (cm3) and cubic metres (m3).
Volume conversions		1000ml in a litre  Conversions between volumes may include e.g. 5.8l = 5 litres 800ml or 5800ml, ½ litre = 500ml
Volume of a cone	h=16cm V= \frac{1}{3} \times \tau \times r^2 \times h = 56.52 cm <sup>2</sup>	$V = \frac{1}{3} \times \pi \times r^2 \times h$ $V = \text{volume}$ $\pi = 3.14 \text{ (pi)}$ $r = \text{radius}$ $h = height$

Volume of a cube or cuboid





 $V = L^{3} or V = L \times b \times h$ 

V = volume

L = length

b = breadth

h = height

Volume of a cylinder	V=TI × r <sup>2</sup> × h = 3·14 × 16 × 10 = 502.4 cm <sup>3</sup>	$V = \pi \times r^2 \times h$ $V = \text{volume}$ $\pi = 3.14$ (pi) $r = \text{radius}$ $h = height$
Volume of a prism	$V = a \times h$ $= 54 \times 3$ $= 162 \text{cm}^{3}$ $= 6 \times 9 = 54 \text{cm}^{2}$	$V = a \times h$ $a = $ area of base $h = $ height

Volume of a pyramid	6cm  V= \$x base aree xperpendicular height  *\$x 36 x 9  = 12 x 9  = 72 cm <sup>3</sup>	$V = \frac{1}{3} \times base area \times perpendicular height$
Volume of a sphere	$V = (\frac{4}{3})_{17} \times r^3$ = 3052.08cm <sup>3</sup>	$V = (\frac{4}{3}) \pi \times r^3$ $V = \text{volume}$ $\pi = 3.14 \text{ (pi)}$ $r = \text{radius}$

Weight	How heavy something is. A person or object's mass.
Weight conversions	1000g in a kg  Conversions between weights may include  e.g. 4673g = 4 kg 673g or 4.673kg , ¾ of kg = 750g
Width	How wide something is from side to side.

Terms	Illustrations	Definitions
Affordability		Discussing if you can afford an item e.g.
		<ul> <li>You have 5p, the apple is 8p, can you buy it?</li> <li>The toy is £2.50 and the tshirt is £4.30. You have £10. Can you afford it?</li> </ul>
		Taking account of any other important factors e.g. spending money needed for a trip, is it an essential buy? Is there a better offer?
ATM		Stands for 'Automated Teller Machine'.
		Electronic bank machine which allows cash withdrawals.
		Sometimes referred to as a 'hole in the wall' or cash machine.
		Some ATM's charge to use their machines. It will usually let you know this on the screen prior to using.
Available balance	Savings	This is the amount of money you are able to withdraw, which includes any overdraft amounts. It usually sits underneath the main balance on the account.
	£1,140.00  Available balance	Some stores can take 3-5 working days to <b>debit</b> your account but the available balance will usually include these pending payments whereas the first balance may not.
	My accounts & Transfers	The example shown here illustrates that the available balance is £1340. However, there is a £300 overdraft on the account so the account actually has £1040 of the account holder's own money, even though the first balance states £1140. There is £100 deduction pending (yet to be debited).

0000000 ex11000000000000					
Mr Kenny Christie					First Choice Bank
Flat 3A					Current account
Bridge Street					Sort code 96-22-18
Abemess					Account number : 000567234
AB56 3JJ					
(Newsteador)					Statement date 28th December 2012
					Statement no. 2
Date	Туре	Description	Money out	Money in	Balance
	.00	, A	88.	3/5	Carried forward from previous statement
					£32.25
reservors and statement of		Bog Standard			
01 December 2011	BACS	(Plumbers)		£570.23	£602.48
01 December 2011	SO	Mr and Mrs J. Christie		£200.00	£802.48
01 December 2011	SO	P. Smith (rent)	£250.00		£552.48
Company of the Company		Aberness			
02 December 2011	CSH	Cash withdrawal	£100.00		£452.48
		Green Bank of Aberness			
03 December 2011	DD	Contents insurance	£21.00		£431.48
04 December 2011	DD	Mobiles rus	£35.27		£396.21

BACS is an electronic system to make payments directly from one bank account to another.

It stands for Bankers' Automated Clearing Services.

It may appear on a bank statement.

Balance	Mr Kenny Christie Flat 3A				- 1	First Choice Bank	The difference between <b>credits</b> and <b>debits</b> in an account
	Bridge Street Aberness AB56 3.U					Sort code 96-22-18 Account number 000567234	e.g. the money you have <b>deposit</b> ed and the money you have spent.
						Statement date 28th December 2012 Statement no. 21	You can also request to check your <b>available balance</b> at a given time at an <b>ATM</b> or online.
	Date	Type	Description	Money out	Money in	Balance	a given time at an ATW of online.
						Carned forward from previous	
						statement £32.25	
	5250123 162 5299		Bog Standard			E32.25	
	01 December 2011	BACS	(Plumbers)		£570.23	£602.48	
	01 December 2011	so	Mr and Mrs J. Christie		£200.00	£802.48	
	01 December 2011	SO	P. Smith (rent) Aberness	£250 00		£562.48	
	02 December 2011	CSH	Cash withdrawal Green Bank of	£100.00		£452.48	
	40.00	Photo.	Abemess	201.00		WWW. 100	
	03 December 2011 04 December 2011	DD	Contents insurance Mobiles r us	£21.00 £35.27		£431.48 £396.21	
	94 Descinou 2071	00	P. Smith	200.67			
	04 December 2011	so	(gas/electricity) Abemess	£23.64		£372.57	
	05 December 2011	DC	Adsa Supermarket Aberness	£132.22		£240.35	
	05 December 2011	CSH	Cash withdrawal	£31.50		£208.85	
Bank							Banks are companies. They are usually listed on the stock market. This means that people and organisations
							can buy shares in banks.  The shareholders own the banks but don't necessarily
							have accounts with them or use any of the other services that banks offer. Instead, the shares they have in banks are an <b>investment</b> . If the bank makes lots of money, the shareholders will benefit from this success because the bank will pay them a share of the earnings made.

Bank statement						Statement date 26th December 2012	An online or printed summary of a bank accounts balance at a point in time. It gives details of all <b>transactions</b> including money paid in out as well as any interest
						Statement no. 21	earned, depending on the type of account.
	Date	Type	Description	Money out	Money in	Balance	earried, depending on the type of account.
	Udie	- iyes	Description	money out	launcy in	Carried forward from previous statement	The closing balance is the amount of money within the
	01 December 2011	BACS	Bog Standard (Plumbers)		£570.23	£32.25 £602.48	account at the point of time of the statement.
	01 December 2011	SO	Mr and Mrs J. Christie		£200.00	£802.48	
	01 December 2011	80	P. Smith (rent)	£250.00	KE00.00	£552.48	
	02 December 2011	CSH	Abemess Cash withdrawal	£100.00		£452.48	
	42 D 2011	00	Green Bank of Aberness	£21.00		£431.48	
1	03 December 2011 04 December 2011	DO	Contents insurance Mobiles r us	£21.00		£431.48 £396.21	
	04 December 2011	so	P. Smith (gas/electricity)	£23.64		£372.57	
	05 December 2011	DC	Abemess Adsa Supermarket Abemess	£132.22		£240.35	
	85 December 2011	CSH	Cash withdrawal	£31 50 £593 63	£770.23	£208.85 £208.85	
				Total withdrawals	Total pay-ins	Closing Balance carried forward	
	05 December 2011	CSH	Aberness Cash withdrawal	£31.50		£208.85	
Benefit							Payments made by the government to those who are entitled to it. You can receive benefits for lots of things e.g. social security, sick pay, pensions etc.
Best value	Shop A		Shop B				Making comparisons between different websites, shops and online savings accounts e.g. what is best value; buy one get one free or 3 for 2?
	Secretary States of Secretary Secret	K	Proport Name ELICIAN Del 3 he sono el II	X			In this example of Shop A and Shop B, it is best to shop at Shop B as you will received 3 bottles of water for £2.40 whereas Shop A will cost £2.50 for 2 bottles.

Budgeting	Budgeting is an important process for individuals, families, organisations and government when making financial decisions.
Building society	Offers financial services such as savings and mortgages but differs from a bank, as building societies are owned by its members.
	Building societies don't have <b>shareholders</b> like banks, so they aren't under the same pressure to make lots of money to pass on to them.
	Each person who has savings or mortgages with a building society is a member of it and has the right to give opinions and vote on key areas of business.

# **Compound** interest

£400 is borrowed for 3 years at 5% compound interest.

Amount borrowed at the start = £400

Interest in the 1st year =  $\frac{5}{100} \times 400 = £20$ 

After 1 year = £420 (£20 interest)

Interest in the 2nd year =  $\frac{5}{100} imes 420 = \pounds21$ 

After 2 years = £441 (£41 interest)

Interest in the 3rd year =  $\frac{5}{100} \times 441 = \pounds22.05$ 

After 3 years = £463.05 (£63.05 interest)

The total interest charged under compound interest will be £63.05.


Where **interest** is calculated on both the amount borrowed and any previous interest. Usually calculated one or more times per year.

# **Contactless** technologies




Being able to make a payment quickly with a device e.g. a card or smartphone, by scanning payment machines without having to enter a pin.

See the illustration for the contactless sign highlighted in red.




Credit card	A card issued by a <b>lender</b> e.g. bank to allow for goods/services to be paid for on <b>credit</b> (which needs to be paid back).
	Credit cards often have charges associated with them.
	Credit cards can be used to transfer debt.
	They are an example of a 'finance' deal.
Credit Union	A non-profit making union which is owned by its members. Money can be borrowed from the collection of deposits made by the members at competitive interest rates.
	Credit unions don't have <b>shareholders</b> like banks, so they aren't under the same pressure to make lots of money to pass on to them.
Currency	The system of money generally used in a particular country.
	For example, in the UK, the currency is Pounds Sterling.
Current account	A current account is probably the most important account you will have, as it enables you to make all the day-to-day banking transactions that you need to.
	You can pay in money whenever you want and set up standing orders and direct debits to cover any expenses, such as your mortgage, rent, utility bills, council tax etc. You can also go overdrawn if you don't have sufficient funds to pay these expenses, although you should always agree this in advance with your bank first, as fees for unauthorised borrowing are much higher than for authorised overdrafts.
	Most current accounts come with a <b>debit card</b> , so that

Debit	LIST VIEW GRAPH VIEW  Date Type Amount Balance
	01/04/16 DD Fayment £70.00 £34.90 to credit 09/03/16 Hill £305.52 £35.10 to debit
	01/03/16 DD Payment £56.00 £270.42 to credit 01/02/16 DD Payment £56.00 £214.42 to credit
	04/01/16 DD Payment £56.00 £158.42 in credit
	12/12/15 Bill £209.61 £102.42 Actual in credit
Debit card	
Debt	



Direct debit	Aberness AB56 3.U	Туре	Description	Money out	Money in	Account number: 000567234  Statement date 28th December 2012 Statement no: 21  Balance Carried forward from previous	An agreement set up to take money from your account regularly to pay for goods or services, usually bills.  E.g. You may have a direct debit set up to pay your
	01 December 2011 01 December 2011 01 December 2011	BACS SO SO	Bog Standard (Plumbers) Mr and Mrs J. Christie P. Smith (rent) Aberness	£250 00	£570.23 £200.00	statement £32 25 £602.48 £802.48 £552.48	phone bill where an amount is taken each month to pay for it. The bill amount may differ each month depending how many extra charges you have.
	02 December 2011 03 December 2011 04 December 2011	DD DD	Cash withdrawal Green Bank of Aberness Contents insurance Mobiles r us P Smith	£100.00 £21.00 £35.27		£452.48 £431.48 £396.21	Usually abbreviated to DD on a <b>bank statement</b> .
	04 December 2011 05 December 2011 05 December 2011	DC CSH	(gas/electricity) Aberness Adsa Supermarket Aberness Cash withdrawal	£23.64 £132.22 £31.50	5770.00	£372.57 £240.35 £208.85	
				E593 63 Total withdrawals	£770.23 Total payins	E208.85 Closing Balance carried forward	
Earnings							Money gained in exchange for working, providing goods or services or from other income such as <b>investments</b> .
Exchange							Changing coins or notes for other coins or notes of the same value <i>e.g.</i> • swap 5p for 5 lots of 1p.  • swap £10 for £5 and 5 £1 coins.
Exchange rates							The amount you multiply your own <b>currency</b> by to change it in to a different currency.
							For example, the exchange rate for changing pound sterling (£) to American dollars (\$) may be 1.39. You would multiply the total of your pound sterling by 1.39 to work out the amount of American dollars you will receive.


Expenditure					The amount of money spent on goods or services.  Expenditure needs to be carefully considered when
					budgeting.
Expenses	Date 10-Mar-2016 10-Mar-2016 11-Mar-2016 12-Mar-2016 16-Mar-2016 24-Mar-2016 24-Mar-2016	Receipt Amount Expense Type 3.35 GBP Meals Allovance - Elsewhere - Receipted £23.50 18.60 GBP Meals Allovance - Elsewhere - Receipted £23.50 15.90 GBP Meals Allovance - Elsewhere - Dinner - Receipted £18.60 4.80 GBP Meals Allovance - Elsewhere - Lunch - Receipted £4.90 2.35 GBP Meals Allovance - Elsewhere - Lunch - Receipted £4.90 10.90 GBP Public Transport Rail (Standard Class) - Receipted 3.20 GBP Meals Allovance - Elsewhere - Lunch - Receipted £4.90	Original Receipt Required	Reinbursable Amount (GBP) 3.35 18.60 15.50 4.80 2.35 10.90 3.20 59.10	The amount spent on something e.g. the expenses for a weekend trip to London would include travel costs, food and drinks, local attraction costs, accommodation etc.  Some businesses and organisations will pay for an employee's expenses if costs, such as those listed above, are incurred as part of the employee's work. See an example of a business expenses claim.
Finance					Money provided to a person or business, which usually needs to be paid back e.g. car finance loan
Foreign exchange					Changing one currency to another using <b>exchange</b> rates. There may be charges for this service.
Gambling					<ul> <li>To stake or risk money, or anything of value, on an outcome involving chance, in the hope of gaining something of more value or benefit.</li> <li>For example;</li> <li>Playing the National Lottery – you risk £2 each week on the chance that your numbers will be drawn in order to win a lot more money</li> <li>Sports – you may bet an amount of money on the chance of an outcome such as your favourite team winning a football game, in the hope that they will win, earning you more money than you had risked.</li> <li>Online gambling is a form of gambling where bets are placed on websites or apps on the internet once an</li> </ul>



Income	Money received, usually on a regular basis, from providing goods or services or through <b>investments</b> e.g. wages from a job, pensions, social security payments.
Income Tax	A tax you pay on your <b>income</b> such as <b>wages</b> , some <b>savings</b> , <b>pensions</b> etc. The amount of <b>tax</b> you pay depends on how much income you receive. Some income is tax free such as lottery wins. Everyone gets a <b>personal allowance</b> which they do not have to pay tax on.

Insurance	About you Pelicyhelder Pulicy number	Addre			A formal contract or certificate which promises to cover the cost of items (can include money) lost, damaged and/or stolen in return for a monthly or yearly payment.		
		This p	reporty is occupied by yo	For example, phone insurance can be taken out on a			
	About your cover Period of insurance from: 31 January 2013 to 30 January	2014		mobile phone. Depending on the terms and conditions of the insurance certificate, it may replace a lost, damaged			
	Corne	Escess	Limit/Sum insured	Exenium			
	Primary Contents cover with Accidental Damage Shandard secess Excape of water success Accidental Damage secess	£150 £250 £250	£75,000	£95.59	or stolen phone.  Some companies may charge a fee for making an incurrence claim, compating a known as an favored a g. t.		
	High Risk Items are televisions, personal computers, surfa and vide watches, photographic equipment, fors, pictures, works of art, cari-		journillary and articles of pre- lians.)	ciona mahal, shorba,	insurance claim, sometimes known as an 'excess' e.g. to claim for a new phone, there may be a £50 excess charge to pay before it will be replaced.		
	Total limit Single article limit Personal possessions	£150	£7,500 £1,500	£15.25	Here is an example of a house insurance certificate.		
	Unspecified Items [vishobles, personal effects and clothing] Single article limit		£1,500 £1,500	*****			
	Freezer food	n/o	£150	\$2.68			
	Personal money and credit cords			Not included			
	Pedal cycles - (limit per cycle)	***	***	Not included			
	Upgraded Buildings cover Standard excess Subsidence excess Escape of water excess	£150 £1,000 £250	£500,000	£135.66			
	Legal Services	n/o	£50,000	£20.67			
	Home Emergency Assistance	n/a	£200	Included as standard			
	Policyholder Care Programme Lagal halpline						
	Premium calculation Annual premium due						
Interest					Money charged for borrowing money, or money earned for saving money, usually stated as a percentage <i>e.g.</i> 4.95%		

Investment	Putting money in to a project, business or account with the aim of making a <b>profit</b> back, including making money through <b>interest</b> , e.g. investing through shares in a company or saving money in a high-interest account.
Lender	A person, business or organisation who provides funds to those who need it, but needs to be paid back.
Loan	Something that is borrowed (usually money) and needs to be paid back, usually with <b>interest</b> on top.  Loans are an example of a 'finance' deal.
Loss	The amount of money lost by a business or organisation.
Mortgage	Amount of money borrowed to purchase a home, building or business which needs to be paid back with <b>interest</b> on top.  Mortgages are an example of a 'finance' deal.
National insurance	Compulsory payments by employees and employers to provide state assistance for people who are unemployed, sick or retired in the UK.



Pay day loan	A payday loan is a short-term loan of money borrowed by
	someone who may be struggling for money until their wages are received (pay-day).
	Some payday loan companies allow you to choose the repayment period, rather than basing it on when you receive your wages.
	The payday loan is usually paid straight into your bank account, often within 24 hours of your application being approved. The payday loan repayment, plus interest, is then taken directly from your bank account on the due date.
	Pay day loans can have very large interest charges. These should be discussed by the customer and lender before approval.
Pending	Payments which are yet to be debited from your account.
	When you shop in a store or online, it can take between 1-5 working days to show on your account. This means the payment for it is pending.
Personal allowance (in tax)	An amount of money you do not have to pay <b>tax</b> on. There is a standard Personal Allowance limit decided by the government.
Personal Pension	Individuals who join a private pension scheme pay monthly payments to the scheme in order to have a larger amount of savings when retired.

	NI							
Policy excess	About you Palicyhaldar	Address			The agreed amount of money which is to be paid in the event of a claim.			
	About your cover Period of Insurence from: 31 January 2013 to 30 January Coree Primary Contents cover with Accidental Damage Standard excess Except of water excess Accidental Owneys excess High Risk Inems Pligh nit Items are televisions, personal computers, undis and vide withthes, photographic equipment, fors, pictures, works of art, our Total limit Single criticle limit	2014 Entens £150 £250 £250	Limit Ziern insured  (25,000  withry and articles of pre- (1,500  (1,500	Examism £95.59	For example, if your windscreen was broken on your car, the insurance policy may require an excess of perhaps £100 to be paid by you before they will fix it. This excess would be taken off the total cost of repairing the windshield.  Some policies have voluntary and compulsory excess payments.  Compulsory excess means you must pay it in order to			
	Personal possessions Unspecified items Instrument effects and duthing! Single article limit  Freezer food  Personal money and credit cords  Pedal cycles - (limit per cycla)	e/e	£1,500 £1,500 £150	£15.25 £2.68 Not included Nat included	claim and the amount is set by the insurer.  Voluntary excess means you can pay an extra amount of your choice. This usually brings down the cost of the monthly insurance premiums but this should be checked at the time of policy purchase.			
	Upgraded Buildings cover Standard excess Subsidence excess Excape of water excess	£150 £1,000 £250	£500,000	£135.66	If you make a claim, you'll have to pay both the compulsory and the voluntary excess.			
	Legal Services Home Emergency Assistance	n/a n/a	£50,000 £200	\$20.67 Included as standard				
	Policyholder Care Programme Legal helpline			Included as standard				
	Premium calculation Annual premium due			£208.53				
Profit					The difference between the amount earned and the amount spent in buying, operating, or producing something.			
Recession					A period of negative economic growth usually lasting more than a few months, which can include high unemployment, reduced trade and industrial activity. This has also been known as the 'credit crunch'.			

<del></del>	
Revenue	The total amount of money made (by a person or business). All costs are then taken away from this total to find the <b>gross</b> and <b>net profits</b> .
Salary	The total amount of money to be paid to an employee by an employer for a year, usually paid with fixed regular payments on a monthly or sometimes weekly basis.
Savings	Savings is money that is stored away instead of being spent. The savings could be from <b>wages</b> or other income, including from monetary gifts.
	Savings can be informal e.g. piggy bank or can be put in to a savings account in a bank. A savings account is a safer method and some accounts offer <b>interest</b> to be earned on savings.
	Savings may be for a long term or over a shorter term while saving up for something of high value, which is not affordable in a one off payment e.g. savings for a holiday or wedding.
Scams	An illegal and dishonest way of making money or gaining goods/services, usually through deceiving people.
	For example, you may receive a phone call from someone pretending to be your bank asking for your log in details and/or password. If given over the phone, the anonymous person may access your account and take any money within it.
	Genuine bank operators should not ask for such details over the phone or via email.

Shareholder							Someone who owns a share or shares in a business or organisation. This may be through buying or inheriting shares. Shares will be worth different values depending on the size and financial success of the business or organisation.  Shareholders can also be people who have a relevant interest in a business or organisation, but not necessarily financially. For example, parents and pupils are important shareholders of their local primary school as decisions made in the school will directly affect them.
Standing order	Aberness AB56 3JJ					Account number: 000567234  Statement date 28th December 2012 Statement no. 21	Similar to a <b>direct debit.</b> However, a standing order is usually a fixed amount and only you can change the amount or when it is taken.
	Date	Туре	Description	Money out	Money in	Balance	Usually abbreviated to SO on a bank statement.
	Date	· Ipc	Description	money out	money m	Carned forward from previous	Osually appreviated to 50 off a park statement.
						statement	
						£32.25	
			Bog Standard				
	01 December 2011	BACS	(Plumbers)		£570.23	£602.48	
	01 December 2011	80	Mr and Mrs J. Christie	1000000	£200.00	£802.48	
	01 December 2011	SO	P. Smith (rent)	£250.00		£552.48	
	20.0	0011	Abemess	2400.00		0.450.40	
	02 December 2011	CSH	Cash withdrawal	£100.00		£452.48	
			Green Bank of				
	02 D	DD.	Aberness	524.00		6424.48	
	03 December 2011	DD	Contents insurance	£21.00		£431.48	
	04 December 2011	00	Mobiles r us P. Smith	£35.27		£396.21	
	04 December 2011	SO.		£23.64		£372.57	
	04 December 2011	30	(gas/electricity) Abemess	E23.04		£3/2:3/	
	05 December 2011	DC-	Adsa Supermarket	£132.22		£240.35	
	GO December 2011	D.C.	Aberness	A TOE EE		AZWU.UU	
	05 December 2011	CSH	Cash withdrawal	£31 50		£208 85	
	22 2000000 0211	0011	200. 00.000	£593.63	£770.23	£208.85	
				Total	Total	Closing Balance	
				withdrawals	pay-ins	carried forward	
					3-17-13		
State Pension							A regular payment made by the government to people on or above the official retirement age and to some widows and disabled people.

Store card							Similar to a <b>credit card</b> , however, they are limited to use at either a stated store or chain of stores.
							For example, a Next storecard can only be used for purchases at Next stores and online.
Transaction							Buying or selling something, where goods, services or money is passed from one to another
Transfer	Date	Туре	Description	Money out	Money in	Balance Carried forward from previous statement	This is the movement of money from one account to another. This may be between a <b>current account</b> and a
	29 November 2012	BACS	Salary Mr J Christie IT Consultants		£2,198.81	-£233.91 £1,964.90	savings account or you can also transfer money to another person.
	29 November 2012 03 December 2012	BACS	Salary Mrs J Christie Teeth4you Mr K. Christie	€200.00	E702.41	£2,667.31 £2,467.31	Online banking sites and apps provide a quick and simple way to transfer money between accounts and to others.  Usually abbreviated to TRF on a <b>bank statement</b> .
	03 December 2012	DD	Mortgage payment National Building Society	£806.21		£1,661.10	
	03 December 2012	DD	Aberness Council Council Tax Scotbank Contents and buildings	£175.00		£1,486 10	
	03 December 2012 03 December 2012	DD DD	insurance Fuel4u Gas and electricity	£43.88 £203.27		£1,442,22 £1,238,95	
	03 December 2012	DD	Stronger Life Life insurance	£33.92		£1,205.03	
	03 December 2012	DD	TV Licencing Authority	£12.12		£1,192,91	
	03 December 2012	SO	Ms Jenni Christie	100000	£100.00	£1,292.91	
	04 December 2012	DD	Digital TV	£18.55		£1,274.36	
	04 December 2012	TRE	Credit Card payment Mistercard	£58.24		£1,216,12	
	04 December 2012	BACS	Child Benefit HMRC		£53.60	£1,269.72	
VAT							VAT stands for value added tax. It is a tax added on to goods or services that need to be taxed e.g. food, clothes, cars etc. Some things do not get VAT added to it like education, health service, postal service. The government decides on the rate of tax and items to be taxed.

Wages	A regular payment, usually on an hourly, daily, or weekly basis, made by an employer to an employee in return for providing goods or services.
Withdrawal	Money removed from an account.  E.g. You can withdraw (take out) money from an ATM cash machine.

# **Multiples, factors and primes**

Terms	Illustrations	Definition
Common factor		If numbers share one or more <b>factors</b> , then they are called the common factors of those numbers.
		For example: 12 and 30
		<ul> <li>The factors of 12 are: 1, 2, 3, 4, 6 and 12</li> <li>The factors of 30 are: 1, 2, 3, 5, 6, 10, 15 and 30</li> </ul>
		So the common factors of 12 and 30 are: 1, 2, 3 and 6
Common multiple		A number that is a multiple common to two or more numbers.
		For example:
		<ul> <li>Multiples of 2 are 2, 4, 6, 8, 10, 12, 14, 16, 18,</li> </ul>
		<ul><li>Multiples of 3 are 3, 6, 9, 12, 15, 18,</li></ul>
		So, common multiples of 2 and 3 are 6, 12, 18,
Factor		A number is a 'factor' if it divides exactly into a number e.g. the factors of 10 are 1, 2, 5, 10

# **Multiples, factors and primes**

Factorising	Example of factorising;  Factor 2y + 6  - Both 2y and 6 have a common factor of 2:  • 2y is 2 × y  • 6 is 2 × 3  - So you can factor the whole expression into:  2(y+3)  So 2y + 6 has been "factored into" 2 and y + 3	The process of finding the <b>factors</b> in an <b>expression</b> .  It is like "splitting" an expression into a multiplication of simpler expressions.
Highest common factor (HCF)		The highest common factor of two or more numbers. For example: The HCF of 24 and 36 is 12 as it is the highest factor to divide in to both equally.
Lowest common multiple (LCM)		The lowest multiple which two or more numbers have in common. for example:  The lowest common multiple of 6 and 12 is 12.
Multiple		Counting in equal steps e.g. multiples of 2 = 2, 4, 6, 8  A multiple is also the result of multiplying a number by a whole or negative number e.g.  15 is a multiple of 5 as 5 x 3 = 15 but 16 is not a multiple of 5 as no integer can be multiplied by 5 to give 16.

# **Multiples, factors and primes**

Prime Number	A prime number can be divided evenly only by 1, or itself.
	It must be a whole number greater than 1 e.g. 5 can only be divided evenly by 1 or 5, so it is a prime number but 6 can be divided evenly by 1, 2, 3 and 6 so it is not a prime number (it is a <b>composite number</b> ).

	Illustrations	<b>Definitions</b>
100 Square		A square showing numbers from either 0-99 or 1-100.
	1 2 3 4 5 6 7 8 9 10	Used to help with the four operations - addition, subtraction multiplication and division.
	11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40	It can also be used to show a variety of patterns and sequences in numbers e.g. counting in 10's in the vertical
	41 42 44 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	rows or the pattern involved in counting in 5's (all multiples end in 0 or 5) etc.
	61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80	
	81 82 83 84 85 86 87 88 89 50 91 92 93 94 95 96 97 98 99 100	
	Hed a copiece of adding 19 jappine to warful jows.  These are just 2 examples, many more patterns can be found within this grid.	


Addition			To find the total of more than one amount, e.g. $14 + 10 = 24$ Addition is the inverse operation of <b>subtraction</b> . e.g. $350 + 200 = 400$ could be solved by asking $400 - 200 = 350$
Algorithms			Reading, writing and interrogating mathematical statements involving signs:  • + add • - minus • = equals • x multiply • ÷ divide
Arrays	Arrays  Arrays  Arrays  Ax 6 = 24  (4 rows of 6)	6 x 4 = 24 (6 rows of 4)	Used to identify quantities and patterns to make quick estimates e.g. 2 rows of 5 dots recognised as 10.  Used to help calculate or check multiplication problems e.g. 24 can be shown as 4 rows of 6 or 6 rows of 4.

Associative law	It doesn't matter how you group the numbers when adding or multiplying.  e.g. $(6+3)+4=6+(3+4)$ or $(2\times4)\times3=2\times(4\times3)$
Cardinal number or 'Cardinality'	The number given to the total amount of items in a set.  e.g. there were 14 people in the hall – 14 is the cardinal number
Commutative law	Numbers can be swapped around (within a calculation) when adding and multiplying and still get the correct answer. e.g. $4 + 3$ is the same as $3 + 4$ , $4 \times 8 = 8 \times 4$
Composite number	A whole number that can be divided evenly by numbers other than 1 or itself.  E.g. 9 can be divided evenly by 3 (as well as 1 and 9), so 9 is a composite number.
Consecutive number	Numbers next to one another in numerical order.  e.g.  • 5 and 6  • 4.2 and 4.3

Conservation of number	Conservation of number  Understanding that there are 4 in the group – regardless of how they are arranged.	Understanding that the quantity of a set does not change due to how they are arranged.  e.g. in a group or in a row = same amount.
Digit	numeral 475 digit digit	The symbols used to make numerals (numbers). 0, 1, 2, 3, 4, 5, 6, 7, 8 and 9 are the ten digits used in our number system.  E.g. the numeral 153 is made up of 3 digits ("1", "5" and "3").
Distributive law	$3 \times 2 + 3 \times 4 = 3 \times (2+4)$	Multiplying a number by a group of numbers added together is the same as doing each multiplication separately.  e.g. 3 lots of (2+4) is the same as 3 lots of 2 plus 3 lots of 4
Division		To find the number of groups an amount can be split equally in to, e.g. $20 \div 5 = 4$ so $20$ can be divided into 5 equal groups of 4. When dividing, the answer does not have to be a whole number e.g. $17 \div 2 = 8.5$ .

Double facts		Division is the inverse operation of <b>multiplication</b> <i>e.g.</i> 100 divided by 10 could be answered by asking 10 x = 100.  Used to quickly learn and recall addition facts.  e.g. double 4 is 8, double 5 is 10, double 6 is 12 etc.
Empty number line	234 + 135  +100 + 30 + 5  234 334 364 369  or +100 + 10 + 10 + 10 + 5  234 334 344 354 364 369  This is two examples of a method which can be used to solve the calculation but there are other methods.  1524 - 687  837 844 904 924 1024 1524  This is an example of a method which can be used to solve the calculation but there are other methods.	A number line which can have any starting number to add or subtract a number in steps that the learner finds comfortable.  See the picture here for how 234 add 135 can be broken up in to steps to make the calculation more manageable.  Another example is shown of a subtraction problem.  They can also be used for multiplication and division.

Even number							A number which can be divided equally by 2 e.g. 2, 4, 16, 28 etc
Formal Written Algorithm	1	н	т	Units /			A standard written method to calculate problems involving addition, subtraction, multiplication and division.
	5	4	6	5		ple formal addition algorithm	These should only be introduced when learners are confident in calculating a variety of problems mentally.
	+	3	3	1		Add the units (ones) first	Can also be known as 'standard written algorithm'.
		7	9	6	Add the tens     Add the hundreds	Here are some examples of formal written algorithms for addition and subtraction.	
		Th	Н	Т	Units / Ones]		
			4	6	8		
	+		61	71	3		
		1	1	4	1		
		Add colu     Add hun is 4     Add in to	the units (our and kee the tens 6 dreds and kee tens as it is the hundres the thousan	p the one/unit 0 + 70 + 10 = eep the 4 tens in the tens col ds. 400 + 600 nds column an	3 = 11 so you in the units/or 140 so you ne in the tens co umn) + 100 = 1100 d keep the 1 f	need to put 10 in to the tens	



	T	1
Formulae		A formula is a special type of equation that shows the relationship between different variables. Using a formula is the most efficient way of solving problems that compare different sets of variables.
		E.g. Area of rectangle = length x breadth, Volume of a cuboid = I x b x h
Integers		Integers are whole numbers, but they also include negative numbers and zero e.g2, -1, 0, 1, 2
Mental agility		The ability to calculate problems mentally with speed, efficiency, accuracy in a variety of ways. Recall of number facts is important in being able to calculate quickly, as is mental jottings (writing down numbers to help track the calculation without using a written algorithm.) The preferred method is often selected until the learner has developed confidence in identifying the most efficient method.
Modelling		Generating a <b>number sequence</b> using a physical or pictorial pattern and working out the equation that the sequence represents. Formulae is used to find information about the items at any position in the sequence.
Multiplication		To find the <b>product</b> of more than one amount e.g. $4 \times 3$ (find $4 \text{ lots of } 3$ ).  Multiplication is the inverse operation of division e.g. $10 \times 10 \times 10 \times 10^{-2} = 60 \times 10^{-2} = 10$ .
Near doubles		These facts are learned once 'double facts' are learned.  E.g. To quickly answer 8 + 7, the learner can recall double 8 as 16 then minus 1 or recall double 7 as 14 and add 1.

Negative		Numbers which are less than zero.
numbers		e.g1, -2, -3 etc.
Number bonds		The different pairs of numbers which make up the same number e.g. the number bonds for 10 are 1+9, 2+8, 3+7, 4+6 and 5+5.
		Learners try to learn these facts to help them with quick mental calculations.
Numeral	numeral	A symbol that represents a number. Digits make up numbers.
	475 digit digit	e.g. 3, 49 and twelve are all numerals.
Odd number		A number which cannot be divided equally by 2 e.g. 1,3,5,7 etc
One to one correspondence		When counting, each object must be counted only once and as the number name is identified.
Order of operations		A set order of operations used within calculations involving more than one operation $e.g. + and x$ .
		The use of mnemonics such as BODMAS, BIDMAS and BOMDAS are often used when deciding on the order of operations.
		BODMAS = Brackets first, orders next (e.g. powers and roots), division and multiplication then addition and

		subtraction.
		BIDMAS = Brackets first, indices next, division and multiplication then addition and subtraction.
		BOMDAS = Brackets Of Multiplication Division Addition Subtraction.
Ordinal number		Describes a position within an ordered set e.g. first, second, third, fourth etc.
Partitioning		To split a number into component parts. E.g. 10 can be 6 + 4, 5 + 5 etc. These can also be known as 'number stories' or 'number bonds'.
		To split a number into component parts e.g. at First level; 38 can be partitioned into 30 + 8 or 19 + 19, or at Second level; 17 x 17 can be partitioned in to 17 x 10 and 17 x 7.
Place Value	Ones / Units  Tens  Decimal Point  Hundredths (1/100)  Thousandths (1/1000)  Thousandths (1/10000)	Understand zero is equal to no amount  How a number is made up and its relationship to other numbers. It is the place of each of the digit or digits which makes a difference to the value of the whole number e.g. 324 – the 2 is equal to 20 whereas in 234, the 2 is equal to 200.  How a number is made up and its relationship to other
	Each place to the left, the value becomes 10x bigger  Each place to the right, the value becomes 10x unaller	numbers. It is the place of each of the digit or digits which makes a difference to the value of the whole number and decimal fractions e.g. at Second level; 10.05 is smaller than 10.50.
Product		The results of multiplying 2 or more numbers together (only applies in multiplication) e.g. 10 is the product of 5 x 2.

Real numbers	All points on an infinitely long number line, e.g. fractions, decimal fractions, roots, $\pi$ etc.
Remainder	The amount "left over" after completing a calculation. e.g. 23 divided equally by 5 would be 4 remainder 3.
Repeated addition	Adding the same number repeatedly in order to find the answer to a multiplication problem.  e.g. $4 \times 3 = 4$ lots of $3 = 3 + 3 + 3$
Repeated subtraction	Subtracting the same number repeatedly in order to find the answer to a <b>division</b> problem.  e.g. $20 \div 5 = 5$ can be subtracted from 20 four times so the answer is 4.
Significant figures	With the number 368249, the 3 is the most significant digit, because it tells us that the number is 3 hundred thousand and something. It follows that the 6 is the next most significant, and so on.  With the number 0.0000058763, the 5 is the most significant digit, because it tells us that the number is 5 millionths and something. The 8 is the next most significant, and so on.
Subitising	Recognising a quantity without counting, simply by looking. e.g. seeing 3 dots on a card as 3 or 6 on a dice without counting them individually.
Subtraction	To find the difference between two amounts, or the remainder, e.g. The difference between 12 and 7 is 5 as 12 - 7=5.

	Subtraction is the inverse of addition, e.g. e.g. 300 - = 230 could be solved by asking 230 + = 300
Sum	The result of adding together 2 or more numbers (only applies in addition).  E.g. The sum of 5, 4 and 2 = 11.
Whole numbers	Any number from zero e.g. 0, 1, 2, 3 (no negative numbers of fractions).

erms	Illustrations	Definitions
Cubed	Cubed	Multiplying a number 3 times e.g. 4 cubed is 4 x 4 x 4 = 64.
	3	The cubed sign is <sup>3</sup>
	3	For example, $5^3 = 5 \times 5 \times 5 = 125$
	3 cubed or 3 <sup>3</sup> = 3 x 3 x 3 = 27	
Cube root	This is the symbol that means "cube roof". $\sqrt[3]{27} = 3$	Finding the cube root is the inverse process of cubing a number e.g. 3 cubed is 3 x 3 x 3 = 27 so the cube root of 27 is 3.

Equations of straight lines	y = mx + c where: $m = gradient$ $c = y - intersept$	A form of the <b>equation</b> of the straight line is y = mx + c.  In a graph, 'm' represents the gradient and 'c' represents the point where the line intercepts the y-axis' (y-intercept).  Horizontal and vertical lines are special cases of y = mx +c.
Fibonacci Sequence		Found by adding the two numbers before it together. e.g. 0, 1, 1, 2, 3, 5, 8, 13, 21, 34
		The 2 is found by adding the two numbers before it (1+1)
		The 5 is found by adding the two numbers before it (2+3)
		The 8 is found by adding the two numbers before it ((3+5)
		The 13 is found by adding the two numbers before it (8+5)
		The 21 is found by adding the two numbers before it (8+13)
		The next number in the sequence above would be 55 (21+34)

		There are many areas of nature where the Fibonacci sequence can be found and some of these areas include, flower petals, plants, fruit, the human face, the human hand and animals (i.e. rabbits)  Leonardo Bonacci, known as Fibonacci, founded the sequence so it was named after him.
Formula		A mathematical relationship or rule expressed in symbols e.g. the formula for volume of a box is $V = I \times b \times h$
Gradient	<u> </u>	The rate at which vertical height changes with respect to horizontal distance covered.
	y = mx + c	A straight line that rises from left to right has a positive gradient and a straight line that falls from left to right has a negative gradient.
	where:	To find the gradient of a straight line:
	-3 -2 -1 0 2 3 c = y-intercept	<ul> <li>choose any two points on the line</li> <li>draw a right-angled triangle with the line as hypotenuse</li> <li>use the scale on each axis to find the triangle's: vertical length horizontal length</li> <li>work out the vertical length ÷ horizontal length</li> </ul>
	<b>*</b>	The result is the gradient of the line.
		Gradients can be recorded numerically as a fraction, decimal fraction or percentage.
		E.g. in a distance-speed graph, the gradient represents the speed of an object over a distance.

Graphical representations	Bird Watching  16 14 12 10 8 6 4 2 0 Number of birds  Reduced by Prince Sprince Sprinc	It is the most efficient method of comparing two related variables, in a visual way.
Number pattern		A set of numbers that has a specific rule which makes the pattern predictable; - odds and evens, times tables etc square numbers and triangular numbers Fibonacci sequence
Pattern		A repetitive sequence of events, shapes or numbers which can be continued.
Sequence		<ul> <li>A set of numbers written in order according to a mathematical rule. For example:</li> <li>4, 6, 8, 10, 12 (increasing in equal multiples of 2)</li> <li>25, 23, 20, 18, 15, 13 (subtracting 2 then subtracting 3)</li> <li>1, 2, 4, 8, 16, 32 (increasing by doubling)</li> <li>109, 129, 124, 144, 139, 159 (adding 20, subtracting 5)</li> </ul>

Square Root / Square numbers	This is the symbol that means "square root". $\sqrt{64} = 8$	The square root of a number is a value that, when multiplied by itself, gives the number e.g. $4 \times 4 = 16$ , so the square root of 16 is 4.
	VOI O	The symbol is $$ which always means the positive square root e.g. $\sqrt{36}$ = 6 (because 6 x 6 = 36)
Triangular numbers	1 dot 3 dots 6 dots 10 dots 15 dots	Generated from a pattern of dots which form a triangle. By adding another row of dots and counting all the dots we can find the next number of the sequence.

#### **Powers and roots**

Terms	Illustrations	Definitions
Cubed	3 3 3 3 3 3 3 2 3 cubed or 3 <sup>3</sup> = 3 x 3 x 3 = 27	Multiplying a number 3 times e.g. 4 cubed is $4 \times 4 \times 4 = 64$ . The cubed sign is $\frac{3}{5}$ . For example, $5^3 = 5 \times 5 \times 5 = 125$ .
Cube root	This is the symbol for 'cube root'. $\sqrt[3]{27} = 3$	Finding the cube root is the inverse process of cubing a number e.g. 3 cubed is 3 x 3 x 3 = 27 so the cube root of 27 is 3.
Power		The power of a number says how many times to repeat a multiplication. It is written as a small number to the right and above the base number $e.g.$ $8^2 = 8 \times 8$ or $8^3 = 8 \times 8 \times 8$ . $^2 = \text{"squared"}$ (to the power of 2) $^3 = \text{"cubed"}$ (to the power of 3)  All other values known as "to the power of"

#### **Powers and roots**

Roots		Roots are the inverse process of powers. The root sign is $\ensuremath{}$
Scientific Notation		Scientific notation is a standardised method of writing numbers which may to too large or too small to write in full e.g.  • 700 000 can be written as 7 x 10 <sup>5</sup> • 8 000 000 can be written as 8 x 10 <sup>6</sup>
Square Root / Square numbers	This is the symbol for a 'square root' $\sqrt{9} = 3$	The square root of a number is a value that, when multiplied by itself, gives the number e.g. $4 \times 4 = 16$ , so the square root of 16 is 4.  The symbol is $$ which always means the positive square root e.g. $\sqrt{36} = 6$ (because 6 x 6 = 36)

Terms	Illustrations	Definitions
2 Dimensional shapes (2D)		2D shapes have only 2 dimensions and are flat e.g. square, rectangle, triangle, circle, pentagon, hexagon, heptagon, octagon, nonagon, decagon, parallelogram, rhombus, kite, quadrilateral, trapezium.
3 Dimensional objects (3D)		3D objects have three dimensions. The flat surfaces (faces) of many 3D objects are made up of 2D shapes e.g. cube, cuboid, sphere, cylinder, prism.  3D objects can be stacked or rolled and items can be put inside some 3D objects. They can also be combined to make models.

Arc		Part of the <b>circumference</b> of a circle or part of any curve.
Circle		A 2-dimensional round shape with no corners or straight edges.  Made by drawing a curve that is always the same distance from a centre.  Circle calculations are interrelated. Given any one of radius, diameter, circumference or area all the others can be calculated.
Circumference	Circumterence	The distance all the way around a <b>circle.</b> Circumference can be measured using the formula; $2\times\pi\times r\ or\ \pi\times d$

Composite shape or composite figure	D C C	A figure (or shape) that can be divided into more than one of the basic figures/shapes. For example, figure ABCD is a composite figure as it consists of two basic figures – a rectangle and triangle as shown here.
Congruent triangles		Pairs or groups of <b>triangles</b> are congruent when they have exactly the same three sides and exactly the same three angles. The equal sides and angles may not be in the same position (if there is a turn or a flip).
Cross section of a shape		A cross section is the shape made by cutting straight across an object.
Cube		A 3D object made up of 6 square faces, 8 vertices and 12 edges. All edges and faces are equal.  It is also a <b>prism</b> because it has the same cross-section along a length. It is a square prism. All angles are 90°.

Cuboid	A 3D object made up of 6 rectangular faces or a mix of 4 rectangular faces and 2 square faces, 8 vertices and 12 edges.  It is also a <b>prism</b> because it has the same cross-section along a length. It is a rectangular prism. All angles are 90°.
Cylinder	A 3D object with a curved face joined by two circular faces at each end. The curved face is made of a <b>rectangle</b> . It is also a <b>prism</b> because it has the same cross-section along a length.

Decagon		Any 2D shape with 10 sides.
Diameter	Diameter	A straight line which passes through the centre of a circle.
Equilateral triangle		All sides are equal and all angles are equal. Each angle = 60°

Heptagon	Any 2D shape with 7 sides.
Hexagon	Any 2D shape with 6 sides.
Isosceles triangle	Has two equal sides and two opposite equal angles.
Kite	Has two pairs of equal sides next to each other. Has no parallel lines. One pair of diagonally opposite angles is equal. Only one diagonal is bisected by the other.  The diagonals cross at 90°.

Nets	The 2D pattern that creates a 3D object when folded together. This is a net of a cube.
Nonagon	Any 2D shape with 9 sides.
Octagon	Any 2D shape with 8 sides.

Parallelogram		Has two pairs of opposite equal sides. Opposite sides are parallel to each other and opposite angles are equal.  The diagonals bisect each other.
Pentagon		Any 2D shape with 5 sides.
Perimeter		The distance all the way around the edge of a 2D shape. To find the perimeter of a shape, add together the lengths of all the sides.
Pi (3.14)	corcumterence  π = circumference + diameter	The <b>ratio</b> of a circle's <b>circumference</b> to its <b>diameter</b> . Equal to 3.14159265358979323846 (the digits go on infinitely without repeating). Pi is often rounded to 2 decimal places to 3.14.


Polygons		Shapes with many straight sides. There are regular and irregular polygons. Regular polygons have equal angles and sides of equal length. Irregular polygons have sides of different lengths.
Polyhedron		Any 3D object with flat faces.
Prism		Any 3D object with two identical ends and faces where the cross section is the same all along its length. In a triangular prism, there are two triangular faces and three rectangular faces. The face of any cross section of this shape when cut would always give you a triangle which gives it its name.
Quadrilateral		Any 2D shape with four sides.
Radius	Radius	The distance from the centre of a circle to any point on its circumference.
Rectangle		And 2D shape with 4 sides and 4 corners. The opposite sides are of equal length and angles are equal (90°).

Representation of 2D shapes and 3D objects	Using sketches, isometric paper (graph paper) or computer packages to draw 3D objects on a 2D plane.
Rhombus	Has four equal sides. Opposite sides are parallel to each other and opposite angles are equal.  Diagonally opposite angles are equal. The diagonals bisect each other at 90°.  ©BBC Bitesize
Right angled triangle	One of its angles is a right angle (90°)
Scalene Triangle	A triangle with no two sides equal and no two angles equal.

Sphere	A 3D object shaped like a ball with no straight edges or vertices.  Every point on the surface is the same distance from the centre.
Square	A 2D shape with 4 equal sides and 4 corners.  All sides are of equal length. All angles are equal (90°).  Opposite sides are parallel.  The diagonals of a square of bisect each other at 90°. The diagonals are equal in length.
Trapezium	A 2D shape which has one pair of parallel sides of different lengths and a pair of opposite sides of equal length.
Triangle	A 2D shape with 3 sides and 3 corners.  There are different types of triangles e.g. equilateral, isosceles, scalene, right angled.
Vertex or vertices (plural)	A 'corner' or corners on a 3D object. A point(s) where two or more straight lines meet.

Terms		Illustrations	Definitions
a.m.			Before noon.  Latin for Ante Meridiem – before noon
Analogue clock			Uses the position of clock hands and numbers to display the time.
Annual			Occurs once every year.
Anti-clockwise	dockwise	anti-clockwise	Moving in the opposite direction to the hands on a clock.

Calendar	August	Regal 2016	A visual display showing months, weeks and days. A calendar can be used to support time management.
Century			A period of 100 years.
Chronological			Events ordered in order of when they happened e.g. by year
Clockwise	dockwise anti-clockw	PISO TO THE PISO THE PIS	Moving in the direction of the hands on a clock.
Daylight savings time (DST)			The process of moving the clocks forward each Spring and back again in Autumn to gain an extra hour of daylight in the evening in the Spring/Summer
Decade			A period of 10 years.



Duration		A length of time.
Fortnight		A period of 2 weeks.
Leap year		Occurs every four years and has 366 days, including 29 February.
		A year is defined as the time it takes for the Earth to orbit around the sun once. It takes the Earth about 365.25 days to make one entire orbit around the sun.
		By adding one extra day every four years, the Earth is in the same point of its orbit at the same time of the calendar year each year.
Millennium		A period of 1000 years.
p.m.		After noon.
		Latin for Post Meridiem – after noon.
Schedule	Leaves for the airport  Annua at the airport  Flag drep  Flag drep	A plan for carrying out something specific with lists of intended events, times and durations.

Seasons	<ul> <li>4 in a year; Winter, Spring, Summer and Autumn.</li> <li>Winter is December, January, February</li> <li>Spring is March, April, May</li> <li>Summer is June, July, August</li> <li>Autumn is September, October, November.</li> </ul>
Speed	The rate of how fast or slow something or someone moves. Can be found using a formula by calculating distance divided by time; $S = D \div T$ $D = \textbf{distance}$ $S = \text{speed}$ $T = \textbf{time}$
Stopwatch	A watch that can be started and stopped in order to measure the exact time of an event, often used in sports events.
Time	Measured in seconds, minutes, hours etc to help measure durations, passing of time and order events.  Can be found using a formula by calculating distance divided by speed;  T = D ÷ S  D = distance  S = speed  T = time

Time conversions		<ul> <li>7 days in a week, 12 months in a year, 4 seasons in a year</li> <li>60 seconds in a minute, 60 minutes in an hour, 24 hours in a day, days in each month, 52 weeks in a year</li> <li>10 years in a decade, 100 years in a century, 1000 years in a millennium</li> <li>Millisecond is one thousandth of a second. e.g. there are 1000 milliseconds in a second.</li> </ul>
Timer		Can be analogue or digital e.g. 03:00 countdown timer would end when it reaches 00:00
Timetable	### ### ### ### ### ### #### #### #### ####	A chart which can show;         • the order of events         • start and finish times of events         • arrival and departure times of transport or events  For example, a class timetable shows different classes/subjects for each day or train/bus/boat timetable shows departures and arrival times and can be used to calculate durations.

